

Application No.:				
Type	Hits	Search Text	DBs	Date
BRS	152	((voltage adj2 sens\$3) and (temperature adj2 sens\$3) and (multiplex\$3 or mux or switch\$3) and (analog-to-digital or adc or a/d) and (memory or register)) and ((calibrat\$3 or compensat\$3) with (chip or integrat\$3))	USPAT; US-PGPUB	8/27/04 17:30
BRS	1017	((voltage adj2 sens\$3) and (temperature adj2 sens\$3) and (multiplex\$3 or mux or switch\$3) and (analog-to-digital or adc or a/d) and (memory or register)) and (calibrat\$3 or compensat\$3)	USPAT; US-PGPUB	8/27/04 17:29
BRS	34	dominik.in. and schmidt.in.	USPAT; US-PGPUB	8/27/04 17:28
BRS	1	(airip adj corporation).as.	USPAT; US-PGPUB	8/27/04 17:28
BRS	20	(norman.in.near2 robert.in.) and sensor	USPAT; US-PGPUB	8/27/04 17:26
BRS	66	(norman.in.near2 robert.in.) and temperature	USPAT; US-PGPUB	8/27/04 17:25
BRS	330	norman.in.near2 robert.in.	USPAT; US-PGPUB	8/27/04 17:24
BRS	49	((voltage adj2 sens\$3) and (temperature adj2 sens\$3) and (multiplex\$3 or mux or switch\$3) and (analog-to-digital or adc or a/d) and (memory or register)) and (ring adj1 oscillat\$3)	USPAT; US-PGPUB	8/27/04 17:23
BRS	1563	(voltage adj2 sens\$3) and (temperature adj2 sens\$3) and (multiplex\$3 or mux or switch\$3) and (analog-to-digital or adc or a/d) and (memory or register)	USPAT; US-PGPUB	8/27/04 17:21
BRS	538	((voltage adj2 sens\$3) and (temperature adj2 sens\$3) and (multiplex\$3 or mux or switch\$3) and (analog-to-digital or adc or a/d) and (memory or register)) and oscillat\$3	USPAT; US-PGPUB	8/27/04 17:21
BRS	854	(voltage adj2 sens\$3) and (temperature adj2 sens\$3) and multiplex\$3 and (analog-to-digital or adc or a/d) and (memory or register)	USPAT; US-PGPUB	8/27/04 17:08
BRS	20	((voltage adj2 sens\$3) and (temperature adj2 sens\$3) and multiplex\$3 and (analog-to-digital or adc or a/d) and (memory or register)) and (331/66,176.ccls. or 374/152,163,170-171,185,208.ccls. or 327/\$.ccls.)	USPAT; US-PGPUB	8/27/04 17:04
BRS	28	((on-chip or integrated) with temperature with (sens\$3 or detect\$3) with voltage) and (374/\$.ccls. or 702/\$.ccls. or 361/\$.ccls.)) and oscillator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/2/03 14:37
BRS	114	((on-chip or integrated) with temperature with (sens\$3 or detect\$3) with voltage) and (374/\$.ccls. or 702/\$.ccls. or 361/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/2/03 14:30
BRS	8429	(374/\$.ccls. or 702/\$.ccls. or 361/\$.ccls.) and (voltage near2 (sens\$3 or detect\$3))	JPO; DERWENT; IBM_TDB	12/2/03 14:29
BRS	3131	(on-chip or integrated) same temperature same (sens\$3 or detect\$3) same voltage	JPO; DERWENT; IBM_TDB	12/2/03 14:28
BRS	745	(on-chip or integrated) with temperature with (sens\$3 or detect\$3) with voltage	JPO; DERWENT; IBM_TDB	12/2/03 14:28
BRS	96	(voltage with temperature with (sensor or detector) with integrated) and oscillator	JPO; DERWENT; IBM_TDB	12/2/03 14:27
BRS	347	voltage with temperature with (sensor or detector) with integrated	JPO; DERWENT; IBM_TDB	12/2/03 14:17
BRS	73	(voltage adj1 (sensor or detector)) same (temperature adj1 (sensor or detector)) same (integrated or chip)	JPO; DERWENT; IBM_TDB	12/2/03 14:16
BRS	162	((((374/\$.ccls. or 702/\$.ccls. or 361/\$.ccls.) and (voltage near2 (sens\$3 or detect\$3))) and integrated) and (temperature adj1 (sens\$3 or detect\$3))) and oscillator	JPO; DERWENT; IBM_TDB	12/2/03 10:27
BRS	689	((((374/\$.ccls. or 702/\$.ccls. or 361/\$.ccls.) and (voltage near2 (sens\$3 or detect\$3))) and integrated) and (temperature adj1 (sens\$3 or detect\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/2/03 10:25
BRS	2908	((374/\$.ccls. or 702/\$.ccls. or 361/\$.ccls.) and (voltage near2 (sens\$3 or detect\$3))) and integrated	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/2/03 10:24
BRS	316	((((voltage near3 (sens\$3 or detect\$3)) same (chip or ic or integrated)) and (temperature near3 (sens\$3 or detect\$3))) and (374/\$.ccls. or 702/\$.ccls. or 361/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/2/03 10:23

BRS	87	((voltage near3 (sens\$3 or detect\$3)) with (chip or ic or integrated) with substrate) and temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/2/03 10:21
BRS	744	(voltage near3 (sens\$3 or detect\$3)) same (chip or ic or integrated) same substrate	JPO; DERWENT; IBM_TDB	12/2/03 10:20
BRS	265	(voltage near3 (sens\$3 or detect\$3)) with (chip or ic or integrated) with substrate	JPO; DERWENT; IBM_TDB	12/2/03 10:20
BRS	15363	(voltage near3 (sens\$3 or detect\$3)) same (chip or ic or integrated)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/2/03 10:19
BRS	143	(((((voltage near3 (sens\$3 or detect\$3)) same (chip or ic or integrated)) and (temperature near3 (sens\$3 or detect\$3))) and oscillat\$3) and variation\$1) and multiplex\$3) and process\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/2/03 9:25
BRS	489	(((((voltage near3 (sens\$3 or detect\$3)) same (chip or ic or integrated)) and (temperature near3 (sens\$3 or detect\$3))) and oscillat\$3) and variation\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/2/03 9:23
BRS	145	(((((voltage near3 (sens\$3 or detect\$3)) same (chip or ic or integrated)) and (temperature near3 (sens\$3 or detect\$3))) and oscillat\$3) and variation\$1) and multiplex\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/2/03 9:23
BRS	2199	((voltage near3 (sens\$3 or detect\$3)) same (chip or ic or integrated)) and (temperature near3 (sens\$3 or detect\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/2/03 9:22
BRS	660	((voltage near3 (sens\$3 or detect\$3)) same (chip or ic or integrated)) and (temperature near3 (sens\$3 or detect\$3)) and oscillat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	12/2/03 9:22
BRS	142	((on-chip or integrated) with temperature with (sens\$3 or detect\$3)) and (voltage near2 (sens\$3 or detect\$3)) and (374/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/18/03 16:0
BRS	85	((on-chip or integrated) same temperature same (sens\$3 or detect\$3) same voltage) and oscillat\$3) and (374/\$.ccls. or 702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/18/03 16:0
BRS	930	((on-chip or integrated) same temperature same (sens\$3 or detect\$3) same voltage) and oscillat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/18/03 16:0
BRS	12316	(on-chip or integrated) same temperature same (sens\$3 or detect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/18/03 16:0
BRS	5094	(on-chip or integrated) with temperature with (sens\$3 or detect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/18/03 15:4
BRS	1154	((on-chip or integrated) with temperature with (sens\$3 or detect\$3)) and (voltage near2 (sens\$3 or detect\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/18/03 15:4
BRS	4	(on-chip near3 temperature) and 374/170.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/18/03 9:42
BRS	284	on-chip near3 temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/18/03 9:41
BRS	98	((374/170.ccls. and (sens\$3 or detect\$3)) and temperature) and integrated	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/18/03 9:21
BRS	377	374/170.ccls. and (sens\$3 or detect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/18/03 9:20
BRS	353	(374/170.ccls. and (sens\$3 or detect\$3)) and temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/18/03 9:20

BRS	448	374/170.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/18/03 9:19
BRS	11	((voltage adj1 (sensor\$1 or detector\$1)) and (temperature adj1 (detector\$1 or sensor\$1))) and 374/170,185.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/18/03 9:12
BRS	2848	(voltage adj1 (sensor\$1 or detector\$1)) and (temperature adj1 (detector\$1 or sensor\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/18/03 9:11
BRS	1761	(voltage adj1 sensor) and (temperature adj1 sensor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/18/03 9:10
BRS	145	((voltage adj1 sensor) and (temperature adj1 sensor)) and compensat\$3 and variation\$1) and oscillat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/18/03 9:09
BRS	482	((voltage adj1 sensor) and (temperature adj1 sensor)) and compensat\$3 and variation\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/18/03 9:08
BRS	226	integrated same temperature same variation\$1 same sens\$3 same compensat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/18/03 9:05
BRS	148	374/170,185.ccls. and integrated	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/18/03 9:04
BRS	954	374/170,185.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/18/03 8:56
BRS	516	374/185.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/18/03 8:55
BRS	764	integrated same temperature same variation\$1 same sens\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/18/03 8:48
BRS	50	(integrated same temperature same variation\$1 same sens\$3) and 374/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/18/03 8:17
BRS	927	(temperature adj (sens\$3 or detect\$3)) and (voltage adj (sens\$3 or detect\$3)) and oscillator	USPAT; US-PGPUB; EPO; JPO; DERWENT	11/18/03 8:14
BRS	154	(374/\$.ccls. or 327/\$.ccls. or 331/\$.ccls.) and (temperature same voltage same variation\$1 same integrated same (sens\$3 or detect\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	10/16/03 11:5
BRS	514	(374/\$.ccls. or 327/\$.ccls. or 331/\$.ccls.) and (integrated same temperature same voltage same compensat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	10/16/03 11:5
BRS	2018	temperature same voltage same variation\$1 same integrated	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	10/16/03 11:5
BRS	494	temperature same voltage same variation\$1 same integrated same (sens\$3 or detect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	10/16/03 11:5
BRS	68	((374/\$.ccls. or 327/\$.ccls. or 331/\$.ccls.) and (integrated same temperature same voltage same compensat\$3)) and address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	10/16/03 11:5
BRS	227	((374/\$.ccls. or 327/\$.ccls. or 331/\$.ccls.) and (integrated same temperature same voltage same compensat\$3)) and oscillat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	10/16/03 11:4
BRS	1653	integrated same temperature same voltage same compensat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	10/16/03 11:4